770307-1177 100

Thermo Nutech W.O. No. N9-03-131-7709

Bechtel Hanford Inc. SDG H0367

Case Narrative

1.0 GENERAL

Bechtel Hanford Inc. Sample Delivery Group H0367 is comprised of a single solid (large paper filter) sample designated under SAF No. B99-005 with a Project Designation of: 200-ZP-1 Process Filter Sampling.

The samples were received as stated on the Chain-of-Custody documents. Any discrepancies are noted on the TNU Sample Receipt Checklist. There was a quich turn-around time requiement for some of the requested analyses. Gamma spectroscpy and isotopic uranium data was sent by facsimile on April 1. Technetium-99 data was reported by facsimile on April 5. A complete set of data was sent by facsimile on April 6, 1999.

2.0 ANALYSIS NOTES

2.1 Gross alpha/Gross Beta Analyses

No problems were encountered with either analysis.

2.2 Technetium-99 Analyses

The aliquot for the analysis was reduced in order to expedite sample preparation. The sample and duplicate MDA's were greater than the RDL due to a combination of reduced aliquots and low tracer yields. The method blank exhibit activity greater and the MDA.

2.3 Uranium Analyses

No problems were encountered with either analysis.

2.4 Gamma Scan Analyses

No problems were encountered with either analysis.





SAMPLE DELIVERY GROUP H0367

SAMPLE SUMMARY

Client Hanford

Contract TRB-SBB-207925

Case no SDG-H0367

CLIENT SAMPLE ID	LOCATION	MATRIX LEVEL	LAB SAMPLE ID	SAF NO	CHAIN OF CUSTODY	COLLECTED
B0V1L5	200 West	SOLID	N903131-01	B99-055	B99-055-03	03/17/99 09:45
Method Blank		SOLID	N903131-03	B99-055		
Lab Control Sample		SOLID	N903131-02	B99-055		
Duplicate (N903131-01)	200 West	SOLID	N903131-04	B99-055		03/17/99 09:45

SAMPLE SUMMARY Page 1 SUMMARY DATA SECTION Page 3

SDG <u>7709</u>

Contact L.A. Johnson

Report date <u>04/06/99</u>

Lab id TMANC Protocol Hanford Version Ver 1.0 Form DVD-CS Version 3.06

SAMPLE DELIVERY GROUP H0367

SDG	7709		
Contact	<u>L.A.</u>	Johnson	

QC SUMMARY

Client <u>Hanford</u>

Contract TRB-SBB-207925

Case no SDG-H0367

QC BATCH	CHAIN OF	CLIENT SAMPLE ID	MATRIX	% SOLIDS	SAMPLE AMOUNT	BASIS AMOUNT	DAYS S		LAB SAMPLE ID	DEPARTMENT SAMPLE ID
7709	B99-055-03	B0V1L5	SOLID	100.0	_		03/26/99	9	N903131-01	7709-001
		Method Blank	SOLID						N903131-03	7709-003
		Lab Control Sample	SOLID						N903131-02	7709-002
		Duplicate (N903131-01)	SOLID	100.0			03/26/99	9	N903131-04	7709-004

QC SUMMARY

Page 1

SUMMARY DATA SECTION

Page 4

 Lab id
 TMANC

 Protocol
 Hanford

 Version
 Ver 1.0

 Form
 DVD-QS

 Version
 3.06

 Report date
 04/06/99

SAMPLE DELIVERY GROUP H0367

SDG	7709		
Contact	L.A.	Johnson	

PREP BATCH SUMMARY

Client <u>Hanford</u>

Contract <u>TRB-SBB-207925</u>

Case no <u>SDG-H0367</u>

TEST	MATRIX	METHOD	PREPARATION BATCH	V ERROR 2σ %	CLIENT	MORE	- PLA RE	NCHETS A	ANALYZ LCS	DUP/ORIG MS/ORIG	QUALI- FIERS
Alpha	Spectros	сору	_								
U	SOLID	Uranium, Isotopic in Soil	2851~039	5.0	1	_		1	1	1/1	
Beta	Counting										
TC	SOLID	Technetium 99 in Soil	2851-039	10.0	1			1	1	1/1	
Gas I	roportion	al Counting							<u> </u>		
80A	SOLID	Gross Alpha in Soil	2851-039	20.0	1			1	1	1/1	
80B	SOLID	Gross Beta in Soil	2851-039	15.0	<u>.</u>	·		1	1	1/1	
Gamma	Spectros	сору									
GAM	SOLID	Gamma Scan	2851-039	15.0	1			1	1	1/1	

Duplicates and Matrix Spikes are those with original (Client) sample in this Sample Delivery Group.

Blank and LCS planchets are those in the same preparation batch as some Client, Duplicate or Spike sample.

PREP BATCH SUMMARY
Page 1
SUMMARY DATA SECTION
Page 5

SAMPLE DELIVERY GROUP H0367

SDG 7709
Contact L.A. Johnson

WORK SUMMARY

Client <u>Hanford</u>

Contract TRB-SBB-207925

Case no SDG-H0367

CLIENT SAMPI LOCATION CUSTODY	E ID SAF No	MATRIX	LAB SAMPLE II COLLECTED RECEIVED	PLANCHET	TEST	SUF-	ANALYZED	REVIEWED_	BY	METHOD
B0V1L5			N903131-01	7709-001	80A/80		04/06/99	04/06/99	NJV	Gross Alpha in Soil
200 West		SOLID	03/17/99	7709-001	80B/80		04/06/99	04/06/99	NJV	Gross Beta in Soil
B99-055-03	B99-055		03/26/99	7709-001	GAM		03/30/99	04/01/99	VĮV	Gamma Scan
				7709-001	TC		04/03/99	05/20/99	ИJV	Technetium 99 in Soil
				7709-001	Ŭ		04/01/99	04/01/99	NJV	Uranium, Isotopic in Soil
Method Blank	:		N903131-03	7709-003	80 A /80		04/05/99	04/06/99	NJV	Gross Alpha in Soil
		SOLID		7709-003	80B/80		04/05/99	04/06/99	VUN	Gross Beta in Soil
	B99-055			7709-003	GAM		03/30/99	04/01/99	VLИ	Gamma Scan
				7709-003	TC		04/03/99	05/20/99	VLN	Technetium 99 in Soil
				7709-003	ឋ		04/05/99	04/05/99	NJV	Uranium, Isotopic in Soil
Lab Control	Sample		N903131-02	7709-002	80 A/80		04/05/99	04/06/99	VLN	Gross Alpha in Soil
		SOLID		7709-002	30B/80		04/05/99	04/06/99	NJV	Gross Beta in Soil
	B99-055			7709-002	GAM		03/30/99	04/01/99	NJV	Gamma Scan
				7709-002	TC		04/05/99	05/20/99	VLN	Technetium 99 in Soil
				7709-002	U		04/05/99	04/05/99	VŲN	Uranium, Isotopic in Soil
Duplicate (1	1903131-01)		N903131-04	7709-004	80 A/ 80		04/06/99	04/06/99	NJV	Gross Alpha in Soil
200 West		SOLID	03/17/99	7709-004	80B/80		04/06/99	04/06/99	NJV	Gross Beta in Soil
	B99-055		03/26/99	7709-004	GAM		03/30/99	04/01/99	VUN	Gamma Scan
				7709-004	TC		04/03/99	05/20/99	NJV	Technetium 99 in Soil
				7709-004	Ŭ		04/05/99	04/05/99	NJV	Uranium, Isotopic in Soil

TEST	SAF No	COUNTS C	OF TESTS BY REFERENCE	SAMPLE TYPE CLIENT MORE R	E BLANK	LCS	DUP SPIKE	TOTAL
80A/80	B99-055	Gross Alpha in Soil	E PA 900.0	1	1	1	1	i
80B/80	B99-055	Gross Beta in Soil	EPA900.0	1	1	1	-	4
GAM	B99-055	Gamma Scan	GAMMAHI		1	1	1	*2
TC	B99-055	Technetium 99 in Soil	TC99TRLSC	1	1	1	1	4
U	B99-055	Uranium, Isotopic in Soil	UPLATE	1	1	1	1	4
TOTALS				S	5	5	5	20

WORK SUMMARY

Page 1

SUMMARY DATA SECTION

Page 6

Lab id TMANC
Protocol Hanfora

Version Ver 1.0

Form <u>D</u>VD-CWS

Version 3,06

Report date <u>04/06/99</u>

T M A / R I C H M O N D SAMPLE DELIVERY GROUP H0367

N903131-03

METHOD BLANK

Method Blank

	7709 L.A. Johnson	Client/Case no Case no	Hanford TRB-SBB-207925	SDG-H0367
Lab sample id Dept sample id		Client sample id Material/Matrix SAF No		SOLID

ANALYTE	CAS NO	RESULT pCi/g	2σ ERR (COUNT)	MDA pCi/g	RDL pCi/g	QUALI- FIERS	TEST
Gross Alpha	12587-46-1	0.029	1.4	3.0	10	ប	80A
Gross Beta	12587-47-2	-0.057	4.3	7.5	10	ប	80B
Technetium 99	14133-76-7	4.44	0.63	0.98	0.50		TC
Uranium 233/234	U-233/234	0.053	0.054	0.10	0.30	U	U
Uranium 235	15117-96-1	0	0.032	0.12	0.30	U	U
Uranium 238	U-238	.0	0.027	0.10	0.30	U	U
Cobalt 60	10198-40-0	U .		0.007	0.050	Π .	GAM
Cesium 134	13967-70-9	U.		0.011		U	GAM
Cesium 137	10045-97-3	U .:		0.007	0.050	a .	GAM
Europium 152	14683-23-9	· ប		0.021	0.10	u ·	GAM
Europium 154	15585-10-1	Ų.		0.022	0.10	U	GAM
Europium 155	14391-16-3	ប .		0.020	0.10	บ	GAM
Americium 241	14596-10-2	U		0.018		ប	GAM
Uranium 238	U-238	U		0.86		ប	GAM
Uranium 235	15117-96-1	υ		0.028		Ū.	GAM

200-ZP-1-Process Filter Sampling

QC-BLANK 30408

METHOD BLANKS
Page 1
SUMMARY DATA SECTION
Page 7

 Lab id
 TMANC

 Protocol
 Hanford

 Version
 Ver 1.0

 Form
 DVD-DS

 Version
 3.06

 Report date
 04/06/99

N903131-02

SAMPLE DELIVERY GROUP H0367

LAB CONTROL SAMPLE

Lab Control Sample

 SDG 7709
 Client/Case no Hanford
 SDG-H0367

 Contact L.A. Johnson
 Case no TRB-SBB-207925

 Lab sample id N903131-02
 Client sample id Lab Control Sample

 Dept sample id 7709-002
 Material/Matrix
 SOLID

 SAF No B99-055

ANALYTE	RESULT pCi/g	2 g ERR (COUNT)	MDA pCi/g	RDL pCi/g	QUALI- FIERS	TEST	ADDED pCi/g	2σ ERR pCi/g	REC %	3σ LMTS (TOTAL)	PROTOCOL LIMITS
Gross Alpha	213	16	3.2	10	<u>_</u>	80A	201	8.0	106	66-134	80-120
Gross Beta	228	11	6.4	10		80B	229	9.2	100	76-124	80-120
Technetium 99	32.8	1.4	0.84	0.50	В	TC	32.7	1.3	100	83-117	80-120
Uranium 233/234	4.99	0.76	0.36	0.30		U	4.75	0.19	105	74-126	80-120
Uranium 235	3.98	0.66	0.12	0.30		ט	3.89	0.16	102	73-127	80-120
Uranium 238	4.35	0.67	0.35	0.30		U	4.90	0.20	8.9	78-122	80-120
Cobalt 60	0.280	0.039	0.019	0.050		GAM	0.307	0.012	91	71-129	80-120
Cesium 137	0.361	0.040	0.034	0.050		GAM	0.348	0.014	104	70-130	80-120

200-ZP-1-Process Filter Sampling

QC-LCS 30407

LAB CONTROL SAMPLES
Page 1
SUMMARY DATA SECTION
Page 8

 Lab id
 TMANC

 Protocol
 Hanford

 Version
 Ver 1.0

 Form
 DVD-LCS

 Version
 3.06

 Report date
 04/06/99

SAMPLE DELIVERY GROUP H0367

DUPLICATE

BOV1L5

SDG-H0367

SDG 7709

Contact L.A. Johnson

DUPLICATE

ORIGINAL Lab sample id N903131-01

Dept sample id <u>7709-004</u>

N903131-04

Dept sample id <u>7709-001</u>

Received 03/26/99 % solids 100.0

% solids <u>100.0</u>

Lab sample id <u>N903131-04</u>

Client sample id BOV1L5

Location/Matrix 200 West

Client/Case no Hanford

SOLID

Collected 03/17/99 09:45 Custody/SAF No <u>B99-055-03</u> <u>B99-055</u>

Case no TRB-SBB-207925

ANALYTE	DUPLICATE pCi/g	2σ ERR (COUNT)	MDA pCi/g	RDL pCi/g	QUALI- FIERS	TEST	ORIGINAL pCi/g	2σ ERR (COUNT)	MDA pCi/g	QUALI- FIERS	RPD %	3σ Τ ΟΤ	PROT
Gross Alpha	0.968	1.6	2,7	10	ŭ	80A	0.706	2.1	4.0	Ū	_		
Gross Beta	3.90	3.9	6.4	10	U	80B	1.59	4.8	8,1	U	-		
Technetium 99	0.438	1.6	4.3	0,50	u	TC	1.59	0.77	1.8	U	-		
Uranium 233/234	0.270	0.18	0,23	0.30	J	U	0.281	0.16	0.20	J	4	132	
Uranium 235	0.073	0.073	0.28	0.30	U	U	0.031	0.062	0.24	U	-		
Uranium 238	0.060	0.060	0.23	0.30	U	U	0.256	0.16	0.20	J	124	163	
Potassium 40	0.779	0.58	0.47			GAM	Ū				49	132	
Cobalt 60	a.		0.057	0.050	Ü	GAM	U ·		0.22	U	-		
Antimony 125	0.087	0.070	0.098		U	GAM	U		•		12	198	
Cesium 134	Ū.		0.064		Ū	GAM	ū		0.15	U	-		
Cesium 137	U		D.051	0.050	U	GAM	ប		0.13	U	-		
Europium 152	U		0.14	0.10	U	GAM	U		0.32	U	-		
Europium 154	ū		0.14	0.10	U	GAM	Ū		0.41	U	-		
Europium 155	U		0.12	0.10	U	GAM	U		0.22	U	-		
Radium 228	0.181	0.17	0.19	0.20	Ū	GAM	U			J	5	209	
Thorium 228	0.164	0.078	0.082			GAM	0.305	0.16	0.17		60	119	
Thorium 232	0.181.	0.17	0.19		U	GAM	U				5	209	
Americium 241	U		0.15		U	GAM	U		0.13	U	-		
Uranium 238	U		6.6		U	GAM	IJ		23	U	-		
Uranium 235	ប		0.19		U	GAM	U		0.32	U	-		

200-ZP-1-Process Filter Sampling

QC-DUP#1 30409

DUPLICATES Page 1 SUMMARY DATA SECTION

Page 9

Lab id TMANC Protocol Hanford Version Ver 1.0 Form DVD-DUP Version <u>3.1</u>€

Report date 04/16/99

N903131-01

DATA SHEET

BOV1L5

1	7709 L.A. Johnson	Client/Case no Case no	Hanford TRB-SBB-207925	SDG-H0367
Lab sample id	<u>N903131-01</u>	Client sample id	B0V1L5	
Dept sample id	7709-001	Location/Matrix	200 West	SOLID
Received	03/26/99	Collected	03/17/99 09:45	
% solids	100.0	Custody/SAF No	B99-055-03	<u>B99-055</u>

ANALYTE	CAS NO	RESULT pCi/g	2σ ERR (COUNT)	MDA pCi/g	RDL pCi/g	QUALI- FIERS	TEST
Gross Alpha	12587-46-1	0.706	2.1	4.0	10	U	A08
Gross Beta	12587-47-2	1.59	4.8	8.1	10	Ū	80B
Technetium 99	14133-76-7	1.59	0.77	1.8	0.50	Ŭ	TC
Uranium 233/234	U-233/234	0.281	0.16	0.20	0.30	J	U
Uranium 235	15117-96-1	0.031	0.062	0.24	0.30	U	U
Uranium 238	U-238	0.256	0.16	0.20	0.30	J	U
Cobalt 60	10198-40-0	U		0.22	0.050	Ŭ	GAM
Cesium 134	13967-70-9	U		0.15		U	GAM
Cesium 137	10045-97-3	U		0.13	0.050	U	GAM
Europium 152	14683-23-9	Ŭ		0.32	0.10	U	GAM
Europium 154	15585-10-1	U		0.41	0.10	U	GAM
Europium 155	14391-16-3	U		0.22	0.10	U	GAM
Thorium 228	14274-82-9	0.305	0.16	0.17			GAM
Americium 241	14596-10-2	ប		0.13		U	GAM
Uranium 238	U-238	U		23		U	GAM
Uranium 235	15117-96-1	Ŭ		0.32		U	GAM

200-ZP-1-Process Filter Sampling

DATA SHEETS

Page 1

SUMMARY DATA SECTION

Page 10

SAMPLE DELIVERY GROUP H0367

METHOD SUMMARY

URANIUM, ISOTOPIC IN SOIL

ALPHA SPECTROSCOPY

Client Hanford

Contract TRB-SBB-207925

Case no SDG-H0367

RESULTS

	LAB	RAW SUF-	1: Uranium	2: Uranium	3: Uranium	RESU	LT RATIOS	(ቴ)
CLIENT SAMPLE ID	SAMPLE ID	TEST FIX PLANCHET	233/234	235	238	1÷3	2σ 2÷3	2σ
Preparation batch 2851-	039							
B0V1L5	N903131-01	7709-001	0.281 J	ū	0.256 J	110	93 12	25
BLK (QC ID=30408)	N903131-03	7709-003	σ	U	U			
LCS (QC ID=30407)	N903131-02	7709-002	ok	ok	ok			
Duplicate (N903131-01)	N903131-04	7709-004	ok J	- U	ok U			
Nominal values and limi	ts from metho	d RDLs (pCi/g)	0.30	0.30	0.30	100	4	
200-ZP-1-Process Filter	Sampling					Averages 110	12	

METHOD PERFORMANCE

Test <u>U</u> Matrix <u>SOLID</u>

SDG <u>7709</u>

Contact L.A. Johnson

	LAB		SUF-	MAX MD	A ALIQ	PREP		YIELD							ANAL-	
CLIENT SAMPLE ID	SAMPLE ID	TEST	FIX	pCi/g	g	FAC	TION	ŧ	*	min	keV	KeV	HELD	PREPARED	YZED	DETECTOR
Preparation batch 2851-	039 2ø pr	ep er	ror 5.	0 % R	eference	Lab	Noteboo	ok #285	1 pg	r. 039						
B0V1L5	N903131-01			0.24	0.500			87		105			15	04/01/99	04/01	SS-013
BLK (QC ID=30408)	N903131-03			0.12	1.00			84		105				04/01/99	04/05	SS-015
LCS (QC ID=30407)	N903131-02			0.36	1.00			84		105				04/01/99	04/05	SS-014
Duplicate (N903131-01)	N903131-04			0.28	0.500			76		105			19	04/01/99	04/05	SS-016
(QC ID=30409)				•				1							_	
Nominal values and limit	ts from metho	od		0.30	1.00			30-105		150	100		180			

	PROCEDURES	REFERENCE	UPLATE
		EP-060	Soil Preparation, rev 0
		EP-070	Soil Dissolution, rev 0
		EP-910	Uranium Purification, rev 0
		EP-008	Heavy Elements Electroplating, rev 0
1			·

AVERAGES ± 2 SD	MDA 0.25 ± 0.20
FOR 4 SAMPLES	YIELD 83 ± 9

METHOD SUMMARIES
Page 1

SUMMARY DATA SECTION

Page 11

SAMPLE DELIVERY GROUP H0367

METHOD SUMMARY

TECHNETIUM 99 IN SOIL BETA COUNTING

Client <u>Hanford</u> Contract TRB-SBB-207925 Case no SDG-H0367

RESULTS

CLIENT SAMPLE ID	LAB SAMPLE ID	RAW SUF- TEST FIX PLANCHET	Technetium 99		
Preparation batch 2851-	039		· · · · · · · · · · · · · · · · · · ·		
BOV1L5	N903131-01	7709-001	1.59 U		
BLK (QC ID=30408)	N903131-03	7709-003	4.44		
LCS (QC ID=30407)	N903131-02	7709-002	ok		
Duplicate (N903131-01)	N903131-04	7709-004	. - U		
Nominal values and limit 200-ZP-1-Process Filter	ts from metho		0.50		

METHOD PERFORMANCE

Test <u>TC</u> Matrix <u>SOLID</u>

SDG <u>7709</u>

Contact L.A. Johnson

	LAB	RAW	SUF-	MDA	ALIQ	PREP		AIETD	EFF	COUNT	FWHM	DRIFT			ANAL-	
CLIENT SAMPLE ID	SAMPLE ID	TEST	FIX	pCi/g	a	FAC	TION	*		min	keV	KeV	HELLD	PREPARED	YZED	DETECTOR
Preparation batch 2851-	039 2 <i>a</i> pr	ep er	or 10	.0 %	Reference	Lab	Noteboo	ok #265	51 pg	j. 039						
BOV1L5	N903131-01		_	1.8	1.00			19		101			17	03/31/99	04/03	GRB-218
BLK (QC ID=30408)	N903131-03		_	0.98	2.00			17		101				03/31/99	04/03	GRB-220
LCS (QC ID=30407)	N903131-02		_	0.84	2.00			20		101				03/31/99	04/05	GRB-205
Duplicate (N903131-01)	N903131-04		_	4.3	1.00			8		101			17	03/31/99	04/03	GRB-217
(QC ID=30409)																
Nominal values and limit	ts from metho	od		0.50	2.00			20-105	i	50			180		-	

Ì	PROCEDURES	REFERENCE	TC99TRLSC	AVERAGES ± 2 SD	М
		EP-060	Soil Preparation, rev 0	FOR 4 SAMPLES	YIE
		EP-020	Sample Leach For Technetium-99, rev 0		
		EP-540	Technetium-99 Purification, rev 0		

MDA 2.0 ± 3.2 IELD <u>16</u> ± <u>11</u>

METHOD SUMMARIES

Page 2

SUMMARY DATA SECTION

Page 12

Lab id TMANC Protocol Hanford

Version Ver 1.0 Form DVD-CMS

Version 3.06

Report date <u>04/06/99</u>

SAMPLE DELIVERY GROUP H0367

Test <u>80A</u> Matrix <u>SOLID</u> SDG <u>7709</u> Contact <u>L.A. Johnson</u>

METHOD SUMMARY

GROSS ALPHA IN SOIL
GAS PROPORTIONAL COUNTING

Client <u>Hanford</u>

Contract <u>TRB-SBB-207925</u>

Case no <u>SDG-H0367</u>

RESULTS

CLIENT SAMPLE ID	LAB SAMPLE ID	RAW SUF- TEST FIX		Gross	Alpha	
Preparation batch 2851-0	039					
B0V1L5	N903131-01	80	7709-001	U		
BLK (QC ID=30408)	N903131-03	80	7709-003	U		
LCS (QC ID=30407)	N903131-02	80	7709-002	ok		
Duplicate (N903131-01)	N903131-04	80	7709-004	_	U	

METHOD PERFORMANCE

CLIENT SAMPLE ID	LAB SAMPLE ID	RAW TEST		oa aliq	PREP FAC	DILU- TION	RESID mg	EFF %		FWHM keV		PREPARED	ANAL- YZED	DETECTOR
Preparation batch 2851-0	139 2σ pr	ep er:	ror 20.0 %	Reference	Lab	Notebo	ok #285	1 pg	J. 039					
BOV1L5	N903131-01	80	4.0	0.100			58		100		20	03/31/99	04/06	GRB-110
BLK (QC ID=30408)	N903131-03	80	3.3	0.100			37		100			03/31/99	04/05	GRB-112
LCS (QC ID=30407)	N903131-02	80	3.2	0.100			38		100			03/31/99	04/05	GRB-111
Duplicate (N903131-01)	N903131-04	80	2.	0.100			47		100		20	03/31/99	04/06	GRB-111
(QC ID=30409)														
Nominal values and limit	s from metho	d	10	0.100			5-150		100	•	180			

ĺ	PROCEDURES	REFERENCE	EPA900.0
		EP-060	Soil Preparation, rev 0
		EP-070	Soil Dissolution, rev 0
	i	EP-170	Preparation of Solids for Gross Alpha and Gross
			Beta Counting, rev 1
ı			

AVERAGES ± 2 SD MDA 3.2 ± 1.1

FOR 4 SAMPLES RESIDUE 45 ± 20

METHOD SUMMARIES

Page 3

SUMMARY DATA SECTION

Page 13

 Lab id TMANC

 Protocol Hanford

 Version Ver 1.3

 Form DVD-CMS

Version 3.06

Report date 04/06/99

SAMPLE DELIVERY GROUP H0367

Test <u>80B</u> Matrix <u>SOLID</u>

SDG <u>7709</u>

Contact <u>L.A. Johnson</u>

METHOD SUMMARY

GROSS BETA IN SOIL
GAS PROPORTIONAL COUNTING

Client <u>Hanford</u>

Contract <u>TRB-SBB-207925</u>

Case no <u>SDG-H0367</u>

RESULTS

CLIENT SAMPLE ID	LAB SAMPLE ID	RAW SUF- TEST FIX		Gross 1	Beta
Preparation batch 2851-	039				
B0V1L5	N903131-01	80	7709-001	U	
BLK (QC ID=30408)	N903131-03	80	7709-003	U	
LCS (QC ID=30407)	N903131-02	80	7709-002	ok	
Duplicate (N903131-01)	N903131-04	80	7709-004	_	σ

METHOD PERFORMANCE

CLIENT SAMPLE ID	LAB SAMPLE ID	raw Test	SUF- MD	-	PREP FAC	DILU- TION	RESID mg	EFF %		FWHM keV		PREPARED	ANAL- YZED	DETECTOR
Preparation batch 2851-6)39 2 <i>o</i> pr	rep err	or 15.0 %	Reference	Lab	Notebo	ok #285	1 pg	y. 039					
B0V1L5	N903131-01	80	8.1	0.100			58		100		20	03/31/99	04/06	GRB-110
BLK (QC ID=30408)	N903131-03	80	7.5	0.100			37		100			03/31/99	04/05	GRB-112
LCS (QC ID=30407)	N903131-02	80	6.4	0.100			38		100			03/31/99	04/05	GRB-111
Duplicate (N903131-01) (QC ID=30409)	N903131-04	80	6.4	0.100			4.7		100		20	03/31/99	04/06	GRB-111
Nominal values and limit	s from metho	od	10	0.100			5-150		100		180			····

PROCEDURES	REFERENCE	EPA900.0
	EP-060	Soil Preparation, rev 0
†	EP-070	Soil Dissolution, rev 0
<u> </u>	EP-170	Preparation of Solids for Gross Alpha and Gross
		Beta Counting, rev 1

 AVERAGES ± 2 SD
 MDA
 7.1
 ±
 1.7

 FOR 4 SAMPLES
 RESIDUE
 45
 ±
 20

METHOD SUMMARIES

Page 4

SUMMARY DATA SECTION

Page 14

 Lab id
 TMANC

 Protocol
 Hanford

 Version
 Ver 1.0

 Form
 DVD-CMS

Version <u>3.06</u>
Report date <u>04/06/99</u>

SAMPLE DELIVERY GROUP H0367

METHOD SUMMARY

GAMMA SCAN
GAMMA SPECTROSCOPY

Client <u>Hanford</u>

Contract TRB-SBB-207925

Case no SDG-H0367

RESULTS

CLIENT SAMPLE ID	LAB SAMPLE ID	RAW SUF- TEST FIX PLANCHET	Cobalt 60	Cesium 137	
Preparation batch 2851-	-039				
B0V1L5	N903131-01	7709-001	U	ប	
BLK (QC ID=30408)	N903131-03	7709-003	U	U	
LCS (QC ID=30407)	N903131-02	7709-002	ok	ok	
Duplicate (N903131-01)	N903131-04	7709-004	- U	- U	

METHOD PERFORMANCE

Test GAM Matrix SOLID

SDG <u>7709</u>

Contact L.A. Johnson

CLIENT SAMPLE ID	LAB SAMPLE ID	RAW TEST	SUF- FIX	MAX MDA pCi/g	ALIQ g		DILU- TION	YIELD	EFF %			DRIFT KeV		PREPARED	ANAL - YZED	DETECTOR
Preparation batch 2851-	039 2ơ pi	rep er	ror 15	5.0 % Ref	erence	Lab	Noteboo	ok #28!	51 pc	g. 039						
B0V1L5	N903131-01			0.22	84.7					159			13	03/26/99	03/30	02,01,00
BLK (QC ID=30408)	N903131-03			0.007 7	50					160				03/26/99	03/30	01,04,00
LCS (QC ID=30407)	N903131-02			0.034 7	50					160				03/26/99	03/30	01,03,00
Duplicate (N903131-01)	N903131-04			0.057	84.7					302			13	03/26/99	03/30	02,04,00
(QC ID=30409)															-	
	- 17										-					
Nominal values and limi	ts from metho	od		0.050 7	50					100			180			

PROCEDURES	REFERENCE	GAMMAHI
	EP-060	Soil Preparation, rev 0
	EP-100	Ge(Li) Preparation for Environmental Samples,
		rev 0

AVERAGES ± 2 SD MDA 0.080 ± 0.19

FOR 4 SAMPLES YIELD ±

METHOD SUMMARIES

Page 5

SUMMARY DATA SECTION

Page 15

 Protocol
 Hanford

 Version
 Ver 1.0

 Form
 DVD-CMS

 Version
 3.06

 Report
 date
 04/06/99

Lab id TMANC

SDG 7709
Contact L.A. Johnson

REPORT GUIDE

Client Hanford
Contract TRB-SBB-207925
Case no SDG-H0367

SAMPLE SUMMARY

The Sample and QC Summary Reports show all samples, including QC samples, reported in one Sample Delivery Group (SDG).

The Sample Summary Report fully identifies client samples and gives the corresponding lab sample identification. The QC Summary Report shows at the sample level how the lab organized the samples into batches and generated QC samples. The Preparation Batch and Method Summary Reports show this at the analysis level.

The following notes apply to these reports:

- * LAB SAMPLE ID is the lab's primary identification for a sample.
- * DEPARTMENT SAMPLE ID is an alternate lab id, for example one assigned by a radiochemistry department in a lab.
- * CLIENT SAMPLE ID is the client's primary identification for a sample. It includes any sample preparation done by the client that is necessary to identify the sample.
- * QC BATCH is a lab assigned code that groups samples to be processed and QCed together. These samples should have similar matrices.
 - QC BATCH is not necessarily the same as SDG, which reflects samples received and reported together.
- * All Lab Control Samples, Method Blanks, Duplicates and Matrix Spikes are shown that QC any of the samples. Due to possible reanalyses, not all results for all these QC samples may be relevant to the SDG. The Lab Control Sample, Method Blank, Duplicate, Matrix Spike and Method Summary Reports detail these relationships.

REPORT GUIDES

Page 1
SUMMARY DATA SECTION

Page 16

SDG 7709
Contact L.A. Johnson

REPORT GUIDE

Client <u>Hanford</u>
Contract <u>TRB-SBB-207925</u>
Case no <u>SDG-H0367</u>

PREPARATION BATCH SUMMARY

The Preparation Batch Summary Report shows all preparation batches in one Sample Delivery Group (SDG) with information necessary to check the completeness and consistency of the SDG.

The following notes apply to this report:

- * The preparation batches are shown in the same order as the Method Summary Reports are printed.
- * Only analyses of planchets relevant to the SDG are included.
- * Each preparation batch should have at least one Method Blank and LCS in it to validate client sample results.
- * The QUALIFIERS shown are all qualifiers other than U, J, B, L and H that occur on any analysis in the preparation batch. The Method Summary Report has these qualifiers on a per sample basis.

These qualifiers should be reviewed as follows:

- X Some data has been manually entered or modified. Transcription errors are possible.
- P One or more results are 'preliminary'. The data is not ready for final reporting.
- 2 There were two or more results for one analyte on one planchet imported at one time. The results in DVD may not be the same as on the raw data sheets.

Other lab defined qualifiers may occur. In general, these should be addressed in the SDG narrative.

REPORT GUIDES

Page 2
SUMMARY DATA SECTION

Page 17

Lab id TMANC

Protocol <u>Hanford</u>

Version Ver 1.0

Form <u>DVD-RG</u>

Version 3.06

Report date 04/06/99

SDG	7709	
Contact	L.A.	Johnson

REPORT GUIDE

Client	Hanford
Contract	TRB-SBB-207925
Case no	SDG-H0367

WORK SUMMARY

The Work Summary Report shows all samples, including QC samples, and all relevant analyses in one Sample Delivery Group (SDG). This report is often useful as supporting documentation for an invoice.

The following notes apply to this report:

- * TEST is a code for the method used to measure associated analytes. Results and related information for each analyte are on the Data Sheet Report. In special cases, a test code used in the summary data section is not the same as in associated raw data. In this case, both codes are shown on the Work Summary.
- * SUFFIX is the lab's code to distinguish multiple analyses (recounts, reworks, reanalyses) of a fraction of the sample. The suffix indicates which result is being reported. An empty suffix normally identifies the first attempt to analyze the sample.
- * The LAB SAMPLE ID, TEST and SUFFIX uniquely identify all supporting data for a result. The Method Summary Report for each TEST has method performance data, such as yield, for each lab sample id and suffix and procedures used in the method.
- * PLANCHET is an alternate lab identifier for work done for one test. It, combined with the TEST and SUFFIX, may be the best link to raw data.
- * For QC samples, only analyses that directly QC some regular sample are shown. The Lab Control Sample, Method Blank, Duplicate, Matrix Spike and Method Summary Reports detail these relationships.
- * The SAS (Special Analytical Services) Number is a client or lab assigned code that reflects special processing for samples, such as rapid turn around. Counts of tests done are lists by SAS number since it is likely to affect prices.

REPORT GUIDES

Page 3
SUMMARY DATA SECTION

Page 18

SDG	<u>7709</u>	
Contact	<u>L.A.</u>	Johnson

REPORT GUIDE

Client <u>Hanford</u>
Contract <u>TRB-SBB-207925</u>
Case no <u>SDG-H0367</u>

DATA SHEET

The Data Sheet Report shows all results and primary supporting information for one client sample or Method Blank. This report corresponds to both the CLP Inorganics and Organics Data Sheet.

The following notes apply to this report:

- * TEST is a code for the method used to measure an analyte. If the TEST is empty, no data is available; the analyte was not analyzed for.
- * The LAB SAMPLE ID and TEST uniquely identify work within the Summary Data Section of a Data Package. The Work Summary and Method Summary Reports further identify raw data that underlies this work.

The Method Summary Report for each TEST has method performance data, such as yield, for each Lab Sample ID and a list of procedures used in the method.

- * ERRORs can be labeled TOTAL or COUNT. TOTAL implies a preparation (non-counting method) error has been added, as square root of sum of squares, to the counting error denoted by COUNT. The preparation errors, which may vary by preparation batch, are shown on the Method Summary Report.
- * A RESULT can be 'N.R.' (Not Reported). This means the lab did this work but chooses not to report it now, possibly because it was reported at another time.
- * When reporting a Method Blank, a RESULT can be 'N.A.' (Not Applicable). This means there is no reported client sample work in the same preparation batch as the Blank's result. This is likely to occur when the Method Blank is associated with reanalyses of selected work for a few samples in the SDG.

The following qualifiers are defined by the DVD system:

U The RESULT is less than the MDA (Minimum Detectable Activity).

REPORT GUIDES
Page 4
SUMMARY DATA SECTION
Page 19

SDG	7709	
Contact	L.A.	Johnson

GUIDE, cont.

Client Hanford
Contract TRB-SBB-207925
Case no SDG-H0367

DATA SHEET

If the MDA is blank, the ERROR is used as the limit.

- J The RESULT is less than the RDL (Required Detection Limit) and no U qualifier is assigned.
- B A Method Blank associated with this sample had a result without a U flag and, after correcting for possibly different aliquots, that result is greater than or equal to the MDA for this sample.

Normally, B is not assigned if U is. When method blank subtraction is shown on this report, B flags are assigned based on the unsubtracted values while U's are assigned based on the subtracted ones. Both flags can be assigned in this case.

For each sample result, all Method Blank results in the same preparation batch are compared. The Method Summary Report documents this and other QC relationships.

- L Some Lab Control Sample that QC's this sample had a low recovery. The lab can disable assignment of this qualifier.
- H Similar to 'L' except the recovery was high.
- P The RESULT is 'preliminary'.
- X Some data necessary to compute the RESULT, ERROR or MDA was manually entered or modified.
- 2 There were two or more results available for this analyte. The reported result may not be the same as in the raw data.

Other qualifiers are lab defined. Definitions should be in the SDG narrative.

The following values are underlined to indicate possible problems:

* An MDA is underlined if it is bigger than its RDL.

REPORT GUIDES

Page 5
SUMMARY DATA SECTION

Page 20

SAMPLE DELIVERY GROUP H0367

SDG 7709
Contact L.A. Johnson

GUIDE, cont.

Client Hanford
Contract TRB-SBB-207925
Case no SDG-H0367

DATA SHEET

- * An ERROR is underlined if the 1.645 sigma counting error is bigger than both the MDA and the RESULT, implying that the MDA may not be a good estimate of the 'real' minimum detectable activity.
- * A negative RESULT is underlined if it is less than the negative of its 2 sigma counting ERROR.
- * When reporting a Method Blank, a RESULT is underlined if greater than its MDA. If the MDA is blank, the 2 sigma counting error is used in the comparison.

REPORT GUIDES

Page 6
SUMMARY DATA SECTION

Page 21

SAMPLE DELIVERY GROUP H0367

SDG 7709
Contact L.A. Johnson

REPORT GUIDE

Client Hanford
Contract TRB-SBB-207925
Case no SDG-H0367

LAB CONTROL SAMPLE

The Lab Control Sample Report shows all results, recoveries and primary supporting information for one Lab Control Sample.

The following notes apply to this report:

- * All fields in common with the Data Sheet Report have similar usage. Refer to its Report Guide for details.
- * An amount ADDED is the lab's value for the actual amount spiked into this sample with its ERROR an estimate of the error of this amount.

An amount added is underlined if its ratio to the corresponding RDL is outside protocol specified limits.

- * REC (Recovery) is RESULT divided by ADDED expressed as a percent.
- * The first, computed limits for the recovery reflect:
 - 1. The error of RESULT, including that introduced by rounding the result prior to printing.

If the limits are labeled (TOTAL), they include preparation error in the result. If labeled (COUNT), they do not.

- 2. The error of ADDED.
- 3. A lab specified, per analyte bias. The bias changes the center of the computed limits.
- * The second limits are protocol defined upper and lower QC limits for the recovery.
- * The recovery is underlined if it is outside either of these ranges.

REPORT GUIDES

Page 7

SUMMARY DATA SECTION

Page 22

SDG 7709
Contact L.A. Johnson

REPORT GUIDE

Client <u>Hanford</u>
Contract <u>TRB-SBB-207925</u>
Case no <u>SDG-H0367</u>

DUPLICATE

The Duplicate Report shows all results, differences and primary supporting information for one Duplicate and associated Original sample.

The following notes apply to this report:

* All fields in common with the Data Sheet Report have similar usage. This applies both to the Duplicate and Original sample data. Refer to the Data Sheet Report Guide for details.

If the Duplicate has data for a TEST and the lab did not do this test to the Original, the Original's RESULTs are underlined.

* The RPD (Relative Percent Difference) is the absolute value of the difference of the RESULTs divided by their average expressed as a percent.

If both RESULTs are less than their MDAs, no RPD is computed and a '-' is printed.

For an analyte, if the lab did work for both samples but has data for only one, the MDA from the sample with data is used as the other's result in the RPD.

* The first, computed limit is the sum, as square root of sum of squares, of the errors of the results divided by the average result as a percent, hence the relative error of the difference rather than the error of the relative difference. The errors include those introduced by rounding the RESULTs prior to printing.

If this limit is labeled TOT, it includes the preparation error in the RESULTs. If labeled CNT, it does not.

This value reported for this limit is at most 999.

- * The second limit for the RPD is the larger of:
 - 1. A fixed percentage specified in the protocol.

REPORT GUIDES

Page 8

SUMMARY DATA SECTION

Page 23

SAMPLE DELIVERY GROUP H0367

SDG 7709
Contact L.A. Johnson

GUIDE, cont.

Client	<u>Hanford</u>
Contract	TRB-SBB-207925
Case no	SDG-H0367

DUPLICATE

- 2. A protocol factor (typically 2) times the average MDA as a percent of the average result. This limit applies when the results are close to the MDAs.
- * The RPD is underlined if it is greater than either limit.
- * If specified by the lab, the second limit column is replaced by the Difference Error Ratio (DER), which is the absolute value of the difference of the results divided by the quadratic sum of their one sigma errors, the same errors as used in the first limit.

Except for differences due to rounding, the DER is the same as the RPD divided by the first RPD limit with the limit scaled to 1 sigma.

* The DER is underlined if it is greater than the sigma factor, typically 2 or 3, shown in the header for the first RPD limit.

RBPORT GUIDES

Page 9

SUMMARY DATA SECTION

Page 24

SAMPLE DELIVERY GROUP H0367

SDG 7709
Contact L.A. Johnson

REPORT GUIDE

Client <u>Hanford</u>
Contract <u>TRB-SBB-207925</u>
Case no <u>SDG-H0367</u>

MATRIX SPIKE

The Matrix Spike Report shows all results, recoveries and primary supporting information for one Matrix Spike and associated Original sample.

The following notes apply to this report:

* All fields in common with the Data Sheet Report have similar usage. This applies both to the Spiked and Original sample data. Refer to the Data Sheet Report Guide for details.

If the Spike has data for a TEST and the lab did not do this test to the Original, the Original's RESULTs are underlined.

* An amount ADDED is the lab's value for the actual amount spiked into the Spike sample with its ERROR an estimate of the error of this amount.

An amount is underlined if its ratio to the corresponding RDL is outside protocol specified limits.

- * REC (Recovery) is the Spike RESULT minus the Original RESULT divided by ADDED expressed as a percent.
- * The first, computed limits for the recovery reflect:
 - 1. The errors of the two RESULTs, including those introduced by rounding them prior to printing.

If the limits are labeled (TOTAL), they include preparation error in the result. If labeled (COUNT), they do not.

- 2. The error of ADDED.
- 3. A lab specified, per analyte bias. The bias changes the center of the computed limits.
- The second limits are protocol defined upper and lower QC limits

REPORT GUIDES

Page 10

SUMMARY DATA SECTION

Page 25

SAMPLE DELIVERY GROUP H0367

SDG 7709
Contact L.A. Johnson

GUIDE, cont.

Client Hanford

Contract TRB-SBB-207925

Case no SDG-H0367

MATRIX SPIKE

for the recovery.

These limits are left blank if the Original RESULT is more than a protocol defined factor (typically 4) times ADDED. This is a way of accounting for that when the spike is small compared to the amount in the original sample, the recovery is unreliable.

* The recovery is underlined (out of spec) if it is outside either of these ranges.

REPORT GUIDES
Page 11
SUMMARY DATA SECTION
Page 26

SAMPLE DELIVERY GROUP H0367

SDG 7709
Contact L.A. Johnson

REPORT GUIDE

Client <u>Hanford</u>
Contract <u>TRB-SBB-207925</u>
Case no <u>SDG-H0367</u>

METHOD SUMMARY

The Method Summary Report has two tables. One shows up to five results measured using one method. The other has performance data for the method. There is one report for each TEST, as used on the Data Sheet Report.

The following notes apply to this report:

* Each table is subdivided into sections, one for each preparation batch. A preparation batch is a group of aliquots prepared at roughly the same time in one work area of the lab using the same method.

There should be Lab Control Sample and Method Blank results in each preparation batch since this close correspondence makes the QC meaningful. Depending on lab policy, Duplicates need not occur in each batch since they QC sample dependencies such as matrix effects.

* The RAW TEST column shows the test code used in the raw data to identify a particular analysis if it is different than the test code in the header of the report. This occurs in special cases due to method specific details about how the lab labels work.

The Lab Sample or Planchet ID combined with the (Raw) Test Code and Suffix uniquely identify the raw data for each analysis.

* If a result is less than both its MDA and RDL, it is replaced by just 'U' on this report. If it is greater than or equal to the RDL but less than the MDA, the result is shown with a 'U' flag.

The J and X flags are as on the data sheet.

- * Non-U results for Method Blanks are underlined to indicate possible contamination of other samples in the preparation batch. The Method Blank Report has supporting data.
- * Lab Control Sample and Matrix Spike results are shown as: ok, No data, LOW or HIGH, with the last two underlined. 'No data'

REPORT GUIDES

Page 12
SUMMARY DATA SECTION

Page 27

SAMPLE DELIVERY GROUP H0367

SDG 7709
Contact L.A. Johnson

GUIDE, cont.

Client Hanford
Contract TRB-SBB-207925
Case no SDG-H0367

METHOD SUMMARY

means no amount ADDED was specified. 'LOW' and 'HIGH' correspond to when the recovery is underlined on the Lab Control Sample or Matrix Spike Report. See these reports for supporting data.

- * Duplicate sample results are shown as: ok, No data, or OUT, with the last two underlined. 'No data' means there was no original sample data found for this duplicate. 'OUT' corresponds to when the RPD is underlined on the Duplicate Report. See this report for supporting data.
- * If the MDA column is labeled 'MAX MDA', there was more than one result measured by the reported method and the MDA shown is the largest MDA. If not all these results have the same RDL, the MAX MDA reflects only those results with RDL equal to the smallest one.

MDAs are underlined if greater than the printed RDL.

- * Aliquots are underlined if less than the nominal value specified for the method.
- * Prepareation factors are underlined if greater than the nominal value specified for the method.
- * Dilution factors are underlined if greater than the nominal value specified for the method.
- * Residues are underlined if outside the range specified for the method. Residues are not printed if yields are.
- * Yields, which may be gravimetric, radiometric or some type of recovery depending on the method, are underlined if outside the range specified for the method.
- * Efficiencies are underlined if outside the range specified for the method. Efficiencies are detector and geometry dependent so this test is only approximate.

REPORT GUIDES

Page 13

SUMMARY DATA SECTION

Page 28

Lab id TMANC
Protocol Hanford
Version Ver 1.0
Form DVD-RG

Version 3.06

Report date <u>04/06/99</u>

SAMPLE DELIVERY GROUP H0367

SDG <u>7709</u>
Contact <u>L.A. Johnson</u>

GUIDE, cont.

Client Hanford

Contract TRB-SBB-207925

Case no SDG-H0367

METHOD SUMMARY

- * Count times are underlined if less than the nominal value specified for the method.
- * Resolutions (as FWHM; Full Width at Half Max) are underlined if greater than the method specified limit.
- * Tracer drifts are underlined if their absolute values are greater than the method specified limit. Tracer drifts are not printed if percent moistures are.
- * Days Held are underlined if greater than the holding time specified in the protocol.
- * Analysis dates are underlined if before their planchet's preparation date or, if a limit is specified, too far after it.

For some methods, ratios as percentages and error estimates for them are computed for pairs of results. A ratio column header like '1-3' means the ratio of the first result column and the third result column.

Ratios are not computed for Lab Control Sample, Method Blank or Matrix Spike results since their matrices are not necessarily similar to client samples'.

The error estimate for a ratio of results from one planchet reflects only counting errors since other errors should be correlated. For a ratio involving different planchets, if QC limits are computed based on total errors, the error for the ratio allows for the preparation errors for the planchets.

The ratio is underlined (out of spec) if the absolute value of its difference from the nominal value is greater than its error estimate. If no nominal value is specified, this test is not done.

For Gross Alpha or Gross Beta results, there may be a column showing the sum of other Alpha or Beta emitters. This sum includes all relevant

REPORT GUIDES

Page 14
SUMMARY DATA SECTION

Page 29

SDG 7709
Contact L.A. Johnson

GUIDE, cont.

Client <u>Hanford</u>
Contract <u>TRB-SBB-207925</u>
Case no <u>SDG-H0367</u>

METHOD SUMMARY

results in the DVD database, whether reported or not. Results in the sum are weighted by a particles/decay value specified by the lab for each relevant analyte. Results less than their MDA are not included. No sums are computed for Lab Control, Method Blank or Matrix Spike samples since their various planchets may not be physically related.

If a ratio of total isotopic to Gross Alpha or Beta is shown, the error for the ratio reflects both the error in the Gross result and the sum, as square root of sum of squares, of the errors in the isotopic results.

For total elemental uranium or thorium results, there may be a column showing the total weight computed from associated isotopic results. Ignoring results less than their MDAs, this is a weighted sum of the isotopic results. The weights depend on the molecular weight and half-life of each isotope so as to convert activities (decays) to weight (atoms).

If a ratio of total computed to measured elemental uranium or thorium is shown, the error for the ratio reflects the errors in all the measurements.

REPORT GUIDES

Page 15

SUMMARY DATA SECTION

Page 30

Bechtel Hanford I	nc.	Cl	CHAIN OF CUSTODY/SAMPLE ANALYSIS RE					REQUEST B99-055-0				9-055-03	Page <u>i</u> of <u>l</u>		
Collector			Company Contact Telephone No. Project Coordinator Keith Maki 373-4989 TRENT, SJ								Price Code	9J	Data Turnaround		
Doug Bowers Project Designation		Sampl	Keith Maki 373-4989 TRENT, SJ Sampling Location SAF No.										7 1	Days	
200-ZP-1 - Process Filter Samp	oling		West					B99-055							
ice Chest No. -# 740		Field I	ogbook No. E F L)(3	3-7	•		Method Feder	of Shipn al Expres	n ent Ss					
Shipped To TMA/RECRA		Offsite	Property No.		· · · · · · · ·			Bill of I	ading/A	ir Bill N	lo.	·			
								COA	RA	021	Y D76.	0			
POSSIBLE SAMPLE HAZAR	DS/REMARKS		Preservation	None											
			Type of Container	Poly Bag											
			No. of Container(s)	1						•					
Special Handling and/or Stora	ge		Volume	~ 750g											
				See stem (1) in Special											
	SAMPLE AN:	ALYSIS		Instructions											
Sample No.	Matrix *	Sample Date	Sample Time			-(CS)	1. 1			化学技		1617.9	2 ****	gewtie:	
B0V1L5	Other Solid	3-17-99	0945	X							Bop	BO	-		
				<u> </u>				<u> </u>							
									<u> </u>						
CITAIN OF POSSESSION	, 11	Sign/Pri			** 0	TAL INSTR lose SDG upor							Matrix Soil Water	*	
Relinquished By Do 49 Bon CA Relinquished By For RJN: 1/30 Douglower/Dois Bon Relinquished By Few Ex 3-20 Relinquished By) Date/Time / 3 - 17 - 49 / 12	S-4 Received BY	elsy- & Nielson	ate/fime	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	iross Alpha; Gi Europium-154,	ross Beta; , Europiun	Gamma S 1-155}; Iso	pectroscop stopic Urai	oy {Cesiu nium; Tec	in-137, Cobalt-6 chnetium-99; Act	0, Europium- ivity Scan	Vapor Other Solid Other Liqui		
Douglower/Dong Bos	Date/Time	Received By	$E \times g.2$	6-99	·, E										
Feel Ex 3-2	6-99 10:1	5 Corso	TR Lorso	3-24-9	5							İ			
Reimquished By	Date/Time	Received By	D	ate/Time											
LABORATORY Received By SECTION		L		Ti	le I.							E	Date/Time		
FINAL SAMPLE Disposal Met	hod					Dispo	sed By						Date/Time		

Contractor		
BAT	Hon	Ford

White - Property Management

OFF-SITE PROPERTY CONTROL

CONTROL NO.

(To be obtained from PROPERTY MANAGEMENT)

A 99009

PART I - TO BE COMPLETED BY ORIGINATOR				
Department ERIERSIASSIASSIASSEPPORT FINDER Analytical Support Field	Samoltra			
The following items are to be shipped from \(\times Contractor \text{Vendor} \)	7,7			
Routing Fra Fy Prepaid Collect				
Shipped to THERMO Natrch Off-site Custodian				
Company 2038 Wright Avenue				
Address Richmond Ca 94804-0040 On-site Custodian City Attal carry TohnoState Zip Code	Payroll No.			
74				
Country (510) 335-3633				
Qty. Property No. Description (include Manufacture Name, Model, Serial No.)	Acquisition Cost			
1 12165 Paper filter somple in poly beg son BOVILS in poly coeler # 740	1010#			
Classified Unclassified Shipped Under DOE Contract Shipped Under Contract Necessity for the off-site use of this property	or's Use Permit Contract			
☐ Required for Project Work. List Project No.				
Off-site Assignment Bill of 19 ding # 4235-7952-3	931			
Shipment to Subcontractor. List Subcontract No.	' "			
Other (Please specify)				
CERTIFICATION OF THE RADIATION MONITORING RELEASE MUST BE SECURED THE SAME DAY THAT MATERIA	AL IS DELIVERED TO SHIPPING.			
RM Clearance for Public Release RM Survey No.	Date			
Location of and Contact for Property (Name/Phone No./Bldg./Area)				
Dogg Boners (509) 372-9274/ Sigme 1/300 apre				
Date Ready for Shipment Cost Code to be Charged Property will be				
Originated By Date Authorized By	Date			
Bank Bowen 3.24.99 Denny Banes	3-24,29			
Property Representative Signature Date Property Management Approval	0 37/25/99			
PART II - TO BE COMPLETED BY SHIPPING				
Authorized Shipping Stanature	Date 3-25-99			
DISTRIBUTION (AFTER FINAL SIGNATURES)				

Green - Accounts Payable

Yellow - Shipping

Pink - Originator

Goldenrod - Property Management

SAMPLE RÉCEIPT CHECKLIST

SAMPLE RECEIPT			
Client: Beehtel Hanford Date/Time received 3-26-49 10:15			
CoC No. B99-055-03			
Container	I.D. No. #740 Requested TAT (Days)	7 P.O. Received Yes [] No	[4]
INSPECTION			
1. Cı	ustody seals on shipping container intact?	Yes [] No [] N/A	[4
2. Cı	ustody seals on shipping container dated & signed?	Yes[] No[] N/A	41
3. Cı	ustody seals on sample containers intact?	Yes [No [] N/A	[]
4. Cu	ustody seals on sample containers dated & signed?	Yes [\(\mathcal{V} \)] No [] N/A	[]
5. Co	ooler Temperature: Packing	ng material is: Wet [] Dry	[4
6. N	umber of samples in shipping container:		
7. Ni	umber of containers per sample:	(Or see CoC)	
8. Pa	aperwork agrees with samples?	Yes [17 No []	ĺ
9. Sa	amples have: Tape [🖳 Hazard labels [] Rad lab	bels [] Appropriate sample labels (U
10. Sa	amples are: In good condition [Leaking []	Broken Container [] Missing [1
11. D	escribe any anomalies:		
-			
{ }	Vas P.M. notified of any anomalies? Yes []	No [] Date 3-75-99	
14. R		: 3-25-99 Time: 10:15	
LOGIN			
O.W UNT). No Group No	Client W.O. No	
PROGRAM MANAGER			
Sample holding times exceeded? Yes [] No []			
Client Notified: Name Date/time			